

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for hemostasis of a puncture site in a wall of a blood vessel at an end of a tissue tract having a sheath therein, the method comprising:
providing a locating member having a proximal end, ~~[[and]]~~ a distal end, and an expansible member disposed on the distal end thereof, ~~and a compression member having a proximal end and a distal end and an expansible element disposed at the distal end thereof, and~~
inserting the locating member through the ~~[[a]]~~ sheath in the tissue tract so that the expansible member on the locating member ~~enters is within~~ a lumen of the blood vessel;
expanding the expansible member on the inserted locating member and drawing the inserted locating member proximally so that the expanded expansible member covers the puncture site in the vessel wall;
removing the sheath from the tissue tract while the inserted locating member remains in place;
providing a tubular compression member having a proximal end, a distal end, a central passage between said proximal end and said distal end, and an expansible tissue compression element disposed over the distal portion thereof, and
advancing the tubular compression member over the inserted locating member after the sheath has been removed from the tissue tract so that the locating member is received in the central passage of the tubular compression member and the expansible tissue compression element is located; and positioning a distal end of the expansible element on the compression member within the tissue tract at a predetermined distance proximal from the wall of the blood vessel; and
expanding the expansible tissue compression element ~~on the compression member~~ within the tissue tract above the blood vessel wall to apply pressure against subcutaneous tissue

and to promote hemostasis, wherein the expansible tissue compression element on the compression member is left in place until hemostasis has been achieved.

2. (Cancelled)

3. (Original) The method of claim 1, wherein the predetermined distance is in a range from about 0.05 inch to about 0.5 inch.

4. (Original) The method of claim 3, wherein the predetermined distance is in a range from about 0.2 inch to about 0.3 inch.

5. (Currently Amended) The method of claim 1, wherein the expansible tissue compression element on the compression member comprises a balloon.

6. (Cancelled)

7. (Currently Amended) The method of claim 1 [[5]], wherein expanding comprises inflating a superior aspect of the balloon greater than an inferior aspect of the balloon.

8. (Currently Amended) The method of claim 1 [[5]], wherein expanding comprises inflating a distal face of the balloon at an angle to the compression member similar to an angle formed between the compression member and the blood vessel.

9. (Currently Amended) The method of claim 1 [[5]], wherein expanding comprises inflating the balloon to a deployed configuration comprising a conical shape.

10. (Currently Amended) The method of claim 1 [[5]], wherein expanding comprises unfolding concentric folds of the balloon.

11. (Currently Amended) The method of claim 1 [[5]], wherein expanding comprises inflating the balloon to a deployed configuration having a concave distal end.

12.-13. (Canceled)

14. (Previously Presented) The method of claim 1, wherein the expandible member on the locating member is expanded to an expanded configuration within the blood vessel having a diameter in a range from about 0.05 inch to about 0.5 inch.

15.-16. (Canceled)

17. (Previously presented) The method of claim 1, further comprising contracting and withdrawing the locating member while the compression member remains in place.

18. (Original) The method of claim 1, further comprising imaging the expandible element during positioning.

19. (Original) The method of claim 1, further comprising delivering radio frequency energy, ultrasound energy, or microwave energy to the puncture site.

20. (Original) The method of claim 1, further comprising delivering a clot promoting agent or anti-infection agent to the puncture site.

21. (Original) A kit comprising:
a compression member; and
instructions to use the compression member for hemostasis of a puncture site in a blood vessel according to claim 1.

22.-67. (Canceled)